ROYAL BOTANIC GARDENS, KEW.

BULLETIN

OF

MISCELLANEOUS INFORMATION.

APPENDIX I.—1917.

LIST OF SEEDS OF HARDY HERBACEOUS PLANTS AND OF TREES AND SHRUBS.

The following is a select list of seeds of Hardy Herbaceous Plants and of Hardy Trees and Shrubs which, for the most part, have ripened at Kew during the year 1916. These seeds are available only for exchange with Botanic Gardens, as well as with regular correspondents of Kew. No application, except from remote colonial possessions, can be entertained after the end of February.

HERBACEOUS PLANTS.

Acaena glaucophylla.
inermis.
macrostemon.
microphylla.
myriophylla.
Novae-Zelandiae.
ovalifolia.

Acanthus pubescens.

Achillea ageratifolia.
argentea.
Clavennae.
Gerberi.
Kellereri.
tomentosa.
Wilczeckii.

Aconitum barbatum.
Kusnezoffi.
Lycoctonum.
moldavicum.
uncinatum.
Wilsoni.

Adenophora liliifolia.
ornata.
stylosa.

Aethionema cappadocicum.
cordatum.
iberideum.
lacerum.
pulchellum.
saxatile.

(4681.) Wt. 71—728. 1,250. 12/16. J. T. & S. G. 14.

Agrostis alba.
elegans.
nebulosa.

Allium atropurpureum.
grande.
kansuense.
karataviense.
macranthum.
neapolitanum.
odorum.
Ostrowskyanum.
polyphyllum.
pulchellum.
Schuberti.
subhirsutum.

Alonsoa Warscewiczii.

Alstroemeria aurantiaca.
Ligtu.

Althaea armeniaca.
cannabina.
ficifolia.
kurdica.
pallida.
rosea.

Alyssum amanum.
creticum.
incanum.
podolicum.
saxatile var. citrinum.
serpyllifolium.
sinuatum.
spinosum.

Amarantus caudatus.
chlorostachys.
hypochondriacus.
polygamus.
retroflexus.

Amellus annuus.

Amethystea coerulea.

Ammobium alatum.

Anacyclus officinarum.

Androsace lactiflora.
villosa.

Anemone alpina.
decapetala.
multifida.
pratense.
Pulsatilla.
rivularis.
sylvestris.

Anthemis mixta.
montana.
tinctoria.

Anthericum Liliago.
ramosum.

Antirrhinum hispanicum.
Orontium.

Apera Spica-Venti.

Aquilegia canadensis.
chrysantha.
coerulea.
flabellata.
glandulosa.
pyrenaica.
truncata.

Arabis arenosa.
verna.

Arctotis stoechadifolia.

Arenaria capillaris.
cephalotes.
foliosa.
gypsophiloides.
grandiflora.
montana.
pinifolia.
purpurascens.
sajanensis.

Argemone alba.
hispida.
mexicana.
ochroleuca.

Armeria canescens.
chilensis.
fasciculata.
majellensis.

Arnica latifolia.
longifolia.
sachalinensis.

Asperula azurea.
galioides.

Asphodeline lutea.

Asphodelus albus.

Aster alpinus.
batangensis.
Douglasii.
foliaceus.
fuscescens.
Lipskyi.
oreophilus.
Purdomi.
subcceruleus.
vestitus.

Astilbe chinensis.
rivularis.
Thunbergii.

Astragalus arcticus.
frigidus.
Glyciphyllos.
maximus.
pentaglottis.
stipulatus.
xiphocarpus.

Astrantia helleborifolia.

Athamanta Matthioli.

Atriplex rosea.

Atropa Belladonna.
lutescens.

Barbarea arcuata.

Beckmannia erucaeformis.

Bellium crassifolium.

Berkheya purpurea.

Bidens leucantha.

Biscutella ciliata.
didyma.
laevigata.

Blumenbachia insignis.

Bocconia cordata.
microcarpa.

Brachypodium caespitosum.
japonicum.

Brassica campestris.
Erucastrum.
juncea.
rugosa.
Tourneforti.

Brickellia grandiflora.

Briza maxima.
minor.

Bromus ciliatus.
japonicus.
maximus.
rubens.
squarrosus.
unioloides.

Bulbinella Hookeri.

Buphthalmum salicifolium.

Bupleurum Candollei.
longifolium.
sachalinense.

Cakile maritima.

Calamagrostis Epigeios.

Calandrinia speciosa.

Callirhoë involucrata.
lineariloba.
pedata.

Callistephus hortensis.

Camassia Fraseri.
Leichtlinii.
montana.

Camelina sativa.

Campanula barbata.
bononiensis.
Cervicaria.
Imeretina.
Kolenatiana.
lactiflora.
lanata.
latifolia.
latiloba.
lingulata.
macrostyla.
patula.
phyctidocalyx.
pulla.
rhomboidalis.
Scheuchzeri.
serotina.
speciosa.
thyrsoides.
thyrsoides × spicata.

Capsella grandiflora.

Carbenia benedicta.

Carduus tenuiflorus.

Carex binervis.
laevigata.

Carthamus lanatus.
tinctorius.

Carum copticum.

Catananche coerulea.
lutea.

Cathcartia villosa.

Centaurea axillaris.
dealbata.
montana.
Phrygia.
rupestris.

Centranthus Sibthorpii.

Cephalaria radiata.

Cerastium Biebersteinii.
macranthum.
tomentosum.

Chaerophyllum aromaticum.
nodosum.

Charieis heterophylla.

Chelone Lyoni.
obliqua.

Chelonopsis moschata.

Chenopodium ambrosoides.
capitatum.
urbicum.

Chlorogalum pomeridianum.

Chorispora tenella.

Chrysanthemum carinatum.
caucasicum.
ceratophylloides.
cinerariaefolium.
coronarium.
corymbosum.
Haussknechtii.
Myconis.
pallens.

Clarkia elegans.
pulchella.

Cnicus Eriophorum.
syriacus.

Collinsia bicolor.
grandiflora.

Collomia gilioides.
grandiflora.

Convolvulus Cupanianus.
undulatus.

Coreopsis lanceolata.

Coriandrum sativum.

Coronilla scorpioides.

Corydalis capnoides.
glauca.
lutea.
racemosa.

Corynéphorus canescens.

Cosmidium Burridgeanum.

Crepis aurea.
blattarioides.
grandiflora.
pygmaea.
rubra.

Crocus asturicus.
medius.

Crucianella aegyptiaca.

Cynoglossum coelestinum.
nervosum.
Wallichii

Dactylis altaica.

Dahlia variabilis.

Datura Tatula.

Delphinium Bulleyanum.
caucasicum.
consolida.
decorum.
Delavayi.
elatum.
Geyeri.
grandiflorum.
Maackianum.
Menziesii.
occidentale.
pictum.
speciosum.
— var. glabratum.
vestitum.

Deschampsia caespitosa.
tenella.

Deyeuxia Langsdorfii.

Dianthus arenarius.
Armeria.
caesius.
capitatus.
Caryophyllus.
cruentus.
deltoides.
fragrans.
frigidus.
gallicus.
giganteus.
leptopetalus.
neglectus.
pallidiflorus.
petraeus.
Seguieri.
squarrosus.
subacaulis.
superbus.
viscidus.
Waldsteinii.

Dictamnus albus.

Digitalis ambigua.

Dimorphotheca aurantiaca.
hybrida.
pluvialis.

Dipsacus asper.
atratus.
inermis.

Dodecatheon frigidum.
Meadia.

Downingia elegans.

Draba aizoides.
Bertolonii.
carinthiaca.
cuspidata.
fladnizensis.
frigida.
incana.
nivalis.
rigida.
Salomonii.

Dracocephalum Moldavica.
nutans.
parviflorum.

Dryas Drummondii.
lanata.

Echinops dahuricus.
sphaerocephalus.

Elymus giganteus.
virginicus.

Encelia calva.

Epilobium crassum.
Dodonaei.
luteum.

Epipactis palustris.

Eragrostis abyssinica.

Eranthis cilicica.

Eremostachys laciniata.

Eremurus himalaicus.
robustus.
Tubergeni.

Erigeron alpinus.
aurantiacus.
glabellus.
grandiflorus.
multiradiatus.
salsuginosus.
uniflorus.

Erinus alpinus.

Erodium amanum.
Botrys.
gruinum.
macradenum.
Manescavii.
supracanum.
trichomanefolium.

Eryngium alpinum.
Bourgati.
spinalba.

Erysimum Perofskianum.
rupestre.

Erythraea Massoni.

Erythronium californicum.
revolutum.

Eschscholzia caespitosa.
californica.
Douglasii.

Eucharidium Breweri.
concinnum.

Festuca heterophylla.
Myuros.
Poa.
rigida.
vaginata.

Fragaria indica.

Francoa appendiculata.
ramosa.

Fritillaria citrina.
lutea.
pallidiflora.
tenella.

Galactites tomentosa.

Galax aphylla.

Galega orientalis.
patula.

Galeopsis Tetrahit.

Galium thymifolium.

Gastridium australe.

Gentiana asclepiadea.
crassicaulis.
Cruciata.
decumbens.
lutea.
macrophylla.
phlogifolia.
septemfida.
straminea.
tibetica.

Geranium albiflorum.
Fremonti.
grandiflorum.
ibericum.
incisum.
macrorrhizum.
rivulare.
sessiliflorum.
tuberosum.

Gerbera Anandria.

Geum bulgaricum
chiloense.
Heldreichii.
montanum.
Rossii.
triflorum.

Gilia achilleaefolia.
androsacea.
capitata.
densiflora.
liniflora.
micrantha.
multicaulis.
squarrosa.
tricolor.

Gillenia trifoliata.

Glaucium corniculatum.
—var. tricolor.

Globularia cordifolia.
vulgaris.

Glyceria distans.

Grindelia cuneifolia.
robusta.

Guizotia oleifera.

Gypsophila elegans.
muralis.
Steveni.

Hastingsia alba.

Hebenstretia tenuifolia.

Hedysarum esculentum.
flavescens.
Semenovii.

Helenium Bigelovii.
Hoopesii.
tenuifolium.

Helianthemum Tuberaria.

Helianthus Nuttallii.
occidentalis.

Helichrysum bracteatum.

Helipterum roseum.

Heracleum persicum.
pyrenaicum.

Herbertia pulchella.

Hesperis matronalis.

Heuchera Drummondi.

Hibiscus Trionum.

Hieracium alpinum.
Bornmülleri.
cappadocicum.
Heldreichii.
Jankae.
pannosum.
villosum.

Hilaria rigida.

Hordeum bulbosum.
maritimum.

Horminum pyrenaicum.

Hymenophysa pubescens.

Hyoscyamus albus.

Hypecoum grandiflorum.
procumbens.

Hypericum Ascyrum.
confertum.
Coris.
empetrifolium.
linarifolium.
nummularium.
olympicum.

Hypochaeris glabra.

Iberis Amara.
Lagascana.

Impatiens scabrida.

Inula barbata.
ensifolia.
Hookeri.
macrocephala.
orientalis.
racemosa.
Royleana.
spiraeafolia.

Iris bucharica.
caroliniana.
chrysographis.
dichotoma.
longipetala.
setosa.

Isatis glauca.

Jasione perennis.

Juncus alpinus.
Chamissonis.

Jurinia cyanoides.

Kitaibelia vitifolia.

Kniphofia citrina.
Nelsoni.

Kochia trichophila.

Koeleria phleoides.
splendens.

Lactuca perennis.

Lagurus ovatus.

Lallemantia canescens.

Lasiospermum radiatum.

Lathyrus angulatus.
Aphaca.
articulatus.
cirrhosus.
laxiflorus.
luteus.
maritimus.
Nissolia.
Ochrus.
pisiformis.
polyanthus.
rotundifolius.
setifolius.
tingitanus.
tuberosus.
undulatus.
variegatus.
venosus.

Laurentia tenella.

Lavatera cachemiriana.

Leontopodium alpinum.

Leptosyne Douglasii.
maritima.
Stillmanni.

Leuzea conifera.
longifolia.

Ligusticum alatum.
pyrenaicum.
scoticum.

Limnanthes alba.

Linaria aparinoides.
bipartita.
dalmatica.
macedonica.
maroccana.
multipunctata.
saxatilis.
triphylla.
tristis.
viscida.

Linum angustifolium.
capitatum.
monogynum.
nervosum.
usitatissimum.

Lotus Requienii.
Tetragonolobus.

Lunaria annua.

Lupinus concinnus.
Douglasii.
elegans.
micranthus.
mutabilis.
nanus.
perennis.
pubescens.

Luzula Hosti.
nivea.

Lychnis Delavayi.
Flos-jovis.
fulgens.
Haageana.
Lagascae.
Preslii.
Sartori.

Lycurus phleoides.

Lysimachia clethroides.

Madia dissitiflora.
sativa.

Malcomia chia.
maritima.

Malope trifida.

Malva Alcea.
oxyloba.
parviflora.

Matthiola bicornis.
sinuata var. glabra albiflora.

Meconopsis aculeata.
cambrica.
heterophylla.
paniculata.
rudis.
simplicifolia.
Wallichii.

Medicago Helix.
Murex.
orbicularis.
turbinata.

Melica altissima.
ciliata.

Melilotus alba.

Mirabilis divaricata.
Jalapa.

Molinia coerulea.

Molopospermum cicutarium.

Monarda didyma.
fistulosa.

Monolepis trifida.

Muscari armeniacum.
compactum.
neglectum.
paradoxum.
parviflorum.
pulchellum.

Myosurus minimus.

Myriactis Gmelini.

Nardus stricta.

Nemesia floribunda.

Nicandra physaloides.

Nicotiana affinis.
Langsdorffii.
paniculata.
rustica.
Sanderae.
Tabacum.

Nigella corniculata.
damascena.
hispanica.

Noccaea alpina.

Oenothera amoena.
densiflora.
rosea.
tenella.
triloba.

Ornithogalum narbonense.

Oxytropis baicalensis.
ochroleuca.
pilosa.

Paeonia Brownii.
decora var. alba.
mollis.
paradoxa.
peregrina.
tenuifolia.

Panicum capillare.

Papaver alpinum.
Argemone.
commutatum.
glaucum.
laevigatum.
lateritium.
nudicaule.
orientale.
pavoninum.
rupifragum.
somniferum.

Paradisia Liliastrum.

Parrya Menziesii.

Patrinia heterophylla.
palmata.

Peltaria alliacea

Pennisetum macrourum.

Pentstemon acuminatus.
arizonicus.
barbatus.
campanulatus.
confertus.
deustus.
diffusus.
glaucus.
gracilis.
heterophyllus.
humilis.
isophyllus.
Jamesii.
Lobbi.
Menziesii var. Scouleri.
ovatus.
pubescens.
secundiflorus.

Perezia multiflora.

Petunia nyctaginiflora.

Phalaris paradoxa.
tuberosa.

Phleum arenarium.
asperum.
Michelii.

Phlomis pratensis.
tuberosa.
umbrosa.

Physalis Alkekengi.
Bunyardi.
Francheti.

Physochlaina orientalis.

Physospermum cornubiense.

Physostegia virginiana.

Phyteuma Michelii.
orbiculare.
Scheuchzeri.
spicatum.

Phytolacca acinosa.
decandra.

Plantago Candollei.
Coronopus.
Cynops.
maritima.
Myosurus.
Psyllium.

Platycodon grandiflorum.
— var. Mariesii.

Platystemon californicus.

Pleurospermum Golaka.

Poa caesia.
violacea.

Podophyllum Emodi.

Polemonium mexicanum.
pauciflorum.

Polygonum affine.
viviparum.

Polypogon littoralis.
monspeliensis.

Portulaca grandiflora.

Potentilla argyrophylla.
calycina.
crinita.
dealbata.
glandulosa.
gracilis.
Herbichii.
Meyeri.
montenegrina.
multifida.
nepalensis.
nevadensis.
pennsylvanica.
recta.
rivale.
rupestris.
semilaciniata.
sericea.
tanacetifolia.

Pratia angulata.

Prenanthes altissima.

Preslia cervina.

Primula Beesiana.
Bulleyana.
capitata.
Cockburniana.
frondosa.
Giraldiana.
involucrata.
Littoniana.
malacoides.
pseudo-sikkimensis.
pulverulenta.
rosea.
saxatilis.
Smithiana.
verticillata.

Psoralea acaulis.
macrostachya.
physodes.

Ramondia pyrenaica.

Ranunculus chaerophyllus.
Nyssanus.

Reseda virgata.

Rhagadiolus edulis.

Rheum acuminatum.
nobile.
Webbianum.

Rodgersia aesculifolia.
pinnata.
podophylla.

Roemeria hybrida.

Romulea candida.
speciosa.

Rudbeckia amplexicaulis.
californica.
speciosa.
subtomentosa.

Rumex maximus.
sanguineus.

Salvia argentea.
Bertolonii.
Columbariae.
glutinosa.
grandiflora.
Horminum.
Schiedeana.
uliginosa.
verticillata.
virgata.

Saponaria Vaccaria.

Saussurea albescens.
hypoleuca.
salicifolia.

Saxifraga caespitosa.
cartilaginea.
cochlearis.
— var. minor.
decipiens.
Delavayi.
granulata.
Hausmanni.
Hirculus.
latepetiolata.
lingulata.
— var. lantoscana.
luteo-viridis.
montavoniensis.
mutata.
pedemontana.
rotundifolia.
Stribrnyi.

Scabiosa caucasica var. connata.
graminifolia.
gramuntia.
Kitaibelii.
longifolia.
vestina.

Scilla autumnalis.
verna.

Scopolia lurida.
sinensis

Scrophularia nodosa.
Scorodonia.

Sedum altissimum.
Ewersii.
heterodontum.
kamtschaticum.
maximum.
rhodanthum.
spathulifolium.
ternatum.

Selinum serbicum.
vaginatum.

Senecio abrotanifolium.
adonidifolium.
alpinus.
Clivorum.
Doronicum.
elegans.
Ledebouri.
Ligularia
squalidus.
stenocephalus.

Serratula atriplicifolia.
Gmelinii.
quinquefolia.
tinctoria.

Seseli elatum.
glaucum.

Setaria glauca.
italica.

Sidalcea candida.
Listeri.
malvaeflora.
neo-mexicana.

Siderites scordiodes.

Siegesbeckia orientalis.

Silene alpestris.
Armeria.
asterias.
colorata.
conoidea.
cretica.
Delavayi.
echinata.
elegans.
Fortunei.

Silene—*cont.*
italica.
linicola.
longicilia.
melandrioides.
Muscipula.
noctiflora.
nocturna.
paradoxa.
pendula.
quadrifida.
Reichenbachii.
rupestris.
Saxifraga.
Sendtneri.
squamigera.
tenuis.
thessalonica.
vallesia.
verecunda.
Zawadskii.

Silybum eburneum.
Marianum.

Sisymbrium strictissimum.

Smyrnium Olusatrum.

Specularia pentagonia.
perfoliata.
Speculum.

Spiraea digitata.
palmata.

Stachys Alopecuros.
citrina.
graeca.
grandiflora.

Statice bellidifolia.
latifolia.
Suwarowii.
tatarica.

Stipa Calamagrostis.
papposa.
pennata.

Swertia longifolia.
perennis.

Symphyandra Hofmanni.
Wanneri.

Tellima grandiflora.

Thalictrum aquilegifolium.
corynellum.
cultratum.
squarrosum.

Thermopsis fabacea.
lanceolata.

Thlaspi densiflorum.

Thymus odoratissimus.

Trautvetteria palmata.

Tricholepis furcata.

Trifolium elegans.
incarnatum.
Lupinaster.
ochroleucum.
pannonicum.
parviflorum.

Trigonella coerulea.
corniculata.
cretica.
polycerata.
radiata.

Trillium grandiflorum.

Trollius altaicus.
asiaticus.
sinensis.

Troximon grandiflorum.

Tulipa Batalini.
chrysantha.
dasystemon.
Kaufmanniana.
linifolia.
Sprengeri.

Ursinia pulchra.

Urtica pilulifera.

Valerianella carinata.
dentata.
echinata.
eriocarpa.
vesicaria.

Verbascum olympicum.
phoeniceum.

Verbena bonariensis.
erinoides.

Verbesina helianthoides.
Purpusii.

Veronica austriaca.
gentianoides.
incana.
saxatilis.
spicata.
virginica.
— var. japonica.

Vesicaria utriculata.

Vicia angustifolia.
calcarata.
melanops.
Orobus.
pyrenaica.
unijuga.

Vincetoxicum fuscatum.

Viola cornuta.
gracilis.
persicifolia.

Xanthocephalum gymnospermoides.

Zygadenus elegans.

TREES AND SHRUBS.

Those marked with an asterisk were not grown at Kew.

*Abies Mariesii.
*sachalinensis.
*— var. nemorensis.
*umbellata.
*Veitchii var. olivacea.

Acanthopanax divaricatum.
sessiliflorum.

Acer circinatum.
dasycarpum.
glabrum.
Heldreichii.
hyrcanum.
insigne.
macrophyllum.
micranthum.
monspessulanum.
opulifolium.
tetramerum.
Tschonoskii.

Adenocarpus foliolosus.

Aesculus indica.

Ailanthus glandulosa.

Alnus barbata.
cordifolia.
elliptica.
firma.
incana.
japonica.
nitida.
oregona.
orientalis.
serrulata.
sitchensis.
Spaethii.
subcordata.
tenuifolia.
viridis.

Amelanchier asiatica.
vulgaris.

Aralia chinensis.
— var. pyramidalis.

Arctostaphylos tomentosa.

*Ardisia crispa.

Berberis acuminata.
aggregrata.
angulosa.
Aquifolium.
aristata.
concinna.
Darwinii.
diaphana.
dubia.
Gagnepainii.
Giraldi.
Guimpelii.
Hookeri var. viridis.
orthobotrys.
pachyacantha.
polyantha.
Prattii.
sanguinea.
Sargentiana.
sinensis.
Stapfiana.
subcaulialata.
Thunbergii.
umbellata.
Vilmoriniana.
Wilsonae.
yunnanense.

Betula.
alnoides var. pyrifolia.
coerulea.
Ermani.
— var. nipponica.
fruticosa.
humilis.
Kenaica.
lenta.
lutea.
Medwediewii.
occidentalis.

Betula—*cont.*
papyrifera.
populifolia.
pumila.
utilis.
— var. Jacquemontii.

Bruckenthalia spiculifolia.

Buddleia albiflora.
japonica.
nivea.
variabilis.
— var. Veitchiana.

Caragana arborescens.
— var. Redowskii.
aurantiaca.
decorticans.
frutescens.
microphylla.

Carmichaelia australis.
flagelliformis.

Carpinus caroliniana.
*cordata.
orientalis.
polyneura.

Cassinia fulvida.
Vauvilliersii.

Ceanothus americanus.
azureus.
integerrimus.
papillosus.
thyrsiflorus.

Celastrus articulatus.
flagellaris.
scandens.

Celtis occidentalis.

Cephalotaxus drupacea.
Fortuni.
pedunculata.

*Cercis occidentalis.
Siliquastrum.

Chionanthus virginica.

Cistus albidus.
creticus.
crispus.
hirsutus.
laurifolius.
platysepalus.
populifolius.
purpureus.
salvifolius.
tauricus.
vaginatus.

Cladothamnus pyrolaeflorus.

Cladrastis amurensis.

Clematis aethusifolia var.
latiscota.
akebioides.
connata.
— var. velutina.
Fargesii.
Flammula.
fusca.
grata.
heracleaefolia.
integrifolia.
ligusticifolia.
mandshurica.
montana.
— var. rubens.
nutans.
orientalis.
Pitcheri.
Rehderiana.
Scottii.
Spooneri.
tangutica.
Veitchiana.
virginiana.

Clerodendron Fargesii.
trichotomum.

Clethra alnifolia.
*canescens.

Colutea arborescens.
bullata.
cilicica.
longialata.

Colutea—*cont.*
media.
orientalis.

Coriaria japonica.

Cornus alba.
Amomum.
asperifolia.
Bretschneideri.
candidissima.
macrophylla.
pubescens.
Purpusi.

Cotoneaster acutifolia.
— var. villosula.
affinis.
amoena.
apiculata.
applanata.
bacillaris.
— var. obtusata.
bullata.
buxifolia.
divaricata.
Fontanesii.
foveolata.
Franchetii.
frigida.
Harroviana.
Henryana.
horizontalis.
integerrima.
laxiflora.
Lindleyi.
lucida.
microphylla.
multiflora.
Nummularia.
obscura.
pannosa.
*racemiflora var. songorica.
rotundifolia.
salicifolia var. rugosa.
Simonsii.
thymifolia.
tomentosa.
uniflora.
Zabelii.

Crataegus acclivis.
altaica.

Crataegus—*cont.*
atrorubens.
Buckleyi.
Carrierei.
chlorosarca.
coccinea.
cordata.
Dippeliana.
dsungarica.
durobrivensis.
elongata.
flava.
Jackii.
melanocarpa.
modesta.
orientalis.
Peckii.
pentagyna.
pinnatifida.
prunifolia.
pubescens var. stipulacea.
tanacetifolia.
tomentosa.
Vailiae.

Cupressus Benthami var. arizonica.
glabra.
Goveniana.
Lawsoniana.
macrocarpa.
nootkatensis.
sempervirens.
— var. retrofracta.
thyoides.
torulosa.

Cydonia Maulei.

Cytisus albus.
biflorus.
capitatus.
Heuffeli.
horniflorus.
nigricans.
purgans.
purpureus.
Rochelii.
scoparius var. Andreanus.
— var. flore albo.
sessilifolius.
syriacus.

Daboëcia polifolia.

Daphne Mezereum.
— var. alba.

Desmodium cinerascens.
tiliaefolium.

Deutzia corymbosa.
crenata.
discolor var. purpurascens.
globosa.
longifolia.
— var. Veitchii.
macrocephala.
planifolia.
reflexa.
Sieboldiana.
Vilmoriniana.
Wilsonii.

Diervilla rivularis.
sessilifolia.

Diospyros Lotus.

Dipelta ventricosa.

Distylium racemosum.

Elaeagnus multiflora.
umbellata.

Eleutherococcus Henryi.
leucorrhizus.
— var. fulvescens.
scaberulus.
Simonii.

Elsholtzia Stauntoni.

Enkianthus campanulatus.
cernuus.
himalaicus.

Erica cinerea.
Mackaii.
scoparia.
stricta.

Escallonia Balfourii.
littoralis,

Euonymus americanus.
Bungeanus.
Hamiltonianus.
latifolius.
oxyphyllus.
planipes.
ussuriensis.
yedoensis.

Evodia hupehensis.

Fatsia horrida.
japonica.

Fraxinus Ornus.

Garrya elliptica.

Gaultheria procumbens.
Shallon.

Genista aethnensis.
germanica.
hispanica.
pilosa.
radiata.
sagittalis.
tinctoria.
— var. elâtior.
virgata.

Halesia hispida.
tetraptera.

Hamamelis arborea.
japonica.
— var. Zuccariniana.
mollis.

Hedysarum multijugum.

Helianthemum alyssoides.
formosum.
halimifolium.
polifolium.
Tuberaria.
villosum.

Hippophaë rhamnoides.

Hydrangea aspera.
Bretschneideri.
cinerea.

Hydrangea—*cont.*
paniculata.
petiolaris.
radiata.
vestita.
xanthoneura.
— var. glabrescens.
— var. Wilsoni.

Hypericum Androsaemum.
aureum.
Buckleyi.
elatum.
Hookerianum.
inodorum.
patulum.
— var. Henryi.
perforatum
prolificum.
Richeri.

Ilex opaca.
verticillata.

Indigofera Gerardiana.
macrostachya.

Jamesia americana.

Jasminum fruticans.
humile.

Kalmia cuneata.
glauca.
latifolia.
— var. myrtifolia.

*Larix dahurica var. japonica.
*Principii Rupprechtii.

Laurus nobilis var. angustifolia.

Ledum latifolium.
palustre.

Lespedeza bicolor.

Leycesteria formosa.

Ligustrum Delavayanum.
insulare.
medium.

Lonicera alpigena.
chrysantha.
deflexicalyx.
dioica.
Henryi.
iberica.
involucrata.
— var. Ledebourii.
Maackii.
minutiflora.
Morrowi.
nigra.
obovata.
orientalis.
ovalis.
prostrata.
segreziensis.
Sullivantii.
tatarica.
translucens.
Xylosteum.

Lupinus arboreus.

Lycium chinense.
— var. carnosum.
pallidum.

Lyonia ligustrina.

Menziesia globularis.

Microglossa albescens.

Myricaria germanica.

Neillia amurensis.
capitata.
opulifolia.
Ramuleyi.
stellata.
Torreyi.

Nesaea salicifolia.

Notospartium Carmichaeliae.

Nuttallia cerasiformis.

Olearia Haastii.
odorata.

Ononis fruticosa.
rotundifolia.

*Ostrya japonica.

Paliurus australis.

Pernettya mucronata.

Pertya sinensis.

Petteria ramentacea.

Phellodendron amurense.
chinense.

Philadelphus acuminatus.
brachybotrys.
— var. purpurascens.
californicus.
Gordonianus.
latifolius.
Lewisii.
Magdalenae.
Satsumi.
sericanthus.
tomentosus.
Wilsonii.

Phillyraea angustifolia.

*Picea Glehnii.
*Koyamai.

Pieris floribunda.
formosa.
japonica.
mariana.

Platanus acerifolia.
orientalis.

Potentilla fruticosa.

Prunus acida var. semperflorens.
cornuta.
japonica.
Maximowiczii.

Ptelea isophylla.
trifoliata.

*Pueraria Thunbergiana.

Pyracantha angustifolia.
coccinea.
crenulata.
Rogersiana.
— var. fructu luteo.

Pyrus alnifolia.
alpina.
americana.
amygdaliformis.
arbutifolia.
crataegifolia.
decurrens.
elaeagrifolia.
hybrida.
intermedia.
Koehneana.
lobata.
Meinichii.
microphylla.
minima.
Niedzwetzkyana.
nigra.
pekinensis.
pinnatifida.
prunifolia.
Ringo.
rotundifolia.
salicifolia.
sambucifolia.
Sargentii.
scalaris.
setschwanensis.
sorbifolia.
Sorbus.
Toringo.
Vilmorinii.
Zumi.

Raphiolepis japonica.

Rhamnus cathartica.
davurica.
fallax.
Frangula.
spathulifolia.

Rhododendron ambiguum.
brachycarpum.
californicum.
chartophyllum.
concinnum.
Davidsonianum.

Rhododendron—*cont.*
decorum.
*dilatatum.
discolor.
Fargesii.
ferrugineum.
halense.
hirsutum.
lepidotum.
maximum.
Metternichii.
— var. angustifolium.
micranthum.
oreotrephes.
polylepis.
punctatum.
*quinquefolium var. album.
racemosum.
Rhodora.
rhombicum.
rubiginosum.
*semibarbatum.
siderophyllum.
Souliei.
Vaseyi.
villosum.
viscosum.
yanthinum.
yunnanense.

Rhodotypos kerrioides.

Ribes alpinum.
cruentum.
divaricatum.
holosericeum.
robustum.
rotundifolium.
stenocarpum.

*Rosa alpina.
coruscans.
Davidii.
elegantula.
Helenae.
Hugonis.
lucens.
Luciae.
macrophylla.
microphylla.
Moyesii.
omiensis.
— var. pteracantha.

Rosa—*cont.*
pisocarpa.
rubrifolia.
sericea.
sertata.
setipoda.
sicula.
Soulieana.
spinulifolia.
Sweginzowii.
Webbiana.
Willmottiae.
Woodsii.

Rubus adenophorus.
biflorus var. quinqueflorus.
coreanus.
flosculosus.
Giraldianus.
inopertus.
lasiostylus.
— var. dizygos.
mesogaeus.
nigro-baccus.
nutkanus.
occidentalis.
omiensis.
parvifolius.
phoenicolasius.
pubescens.
Swinhoei.
thibetanus.
Thunbergi var. glabellus.
trianthus.
Veitchii.
xanthocarpus.

Ruta graveolens.

*Schizophragma hydrangeoides.

Securinega fluggeoides.
ramiflora.

*Sequoia gigantea.
*sempervirens.

Skimmia japonica.
Laureola.

Smilax Sieboldi.

Sophora flavescens.
viciifolia.

Spartium junceum.

Spiraea Aitchisoni.
arborea.
— var. glabrata.
arcuata.
bella.
betulifolia.
bracteata.
canescens.
chamaedrifolia.
discolor.
fastigiata.
japonica.
laevigata.
Lindleyi.
Nobleana.
nudiflora.
salicifolia.
Sargentiana.
tomentosa.
trilobata.
Veitchii.
Wilsonii.

Staphylea colchica.
Coulombieri.
pinnata.
trifolia.

Styrax japonicum.
Obassia.

Symphoricarpus Heyeri

Syringa Emodi.
Josikaea.
pekinensis.
villosa.

Vaccinium arboreum.
corymbosum.
erythrocarpum.
hirsutum.
neglectum.
padifolium.
pallidum.
simulatum.

Veronica carnosula.

Viburnum brevipes.
betulifolium.
cotinifolium.
dilatatum.
hupehense.
Lantana.
lobophyllum.
ovatifolium.
phlebotrichum.
pubescens.
rhytidophyllum.
theiferum.
venosum.

Zanthoxylum Bungei.

Zenobia speciosa.
— var. pulverulenta